

**TOWN OF BARKHAMSTED
INLAND WETLANDS COMMISSION
WATER POLLUTION CONTROL AUTHORITY
SPECIAL MEETING
TUESDAY, JULY 29, 2014
SITE WALK, 232 OLD NORTH ROAD 7:00 P.M.**

APPROVED: _____ **DATE:** _____

PRESENT: Chairman John Greaser, Martha Sullivan, Carmine Perri, H. Thomas Nelson and Inland/Wetlands Enforcement Officer Debra Brydon. Linda Ganem and Chris Tooker visited site prior to Special Meeting.

ABSENT: Jesse Edmands

Chairman John Greaser called the meeting to order at 7:00 pm. All regular members were in attendance for the meeting/site walk.

1. PENDING APPLICATIONS:

A. Site walk starting at 232 Old North Road, White Pines Campsite and viewing proposed activities involving Phase I of septic repair.

Peter Lawrence of White Pines Campsite, Barkhamsted, CT was present. Kevin Clark of Clark Engineering of Granby, CT was present and followed the site plan and maps presented at the last meeting for the Phase I septic repair. Mr. Clark explained each step of the Phase I repair and showed the commission members the present location of the septic and holding tank at the campsite.

Clark Engineering is contemplating approximately 3 phases to fix current problem with septic system. With each phase, a new application will be submitted according to DEEP guidelines. The campground is only open for use April 15th - Oct 15th.

The group was taken down the driveway to the open field near the entrance. Mr. Clark discussed different types of erosion control. The force main will come up and run along road side of property. An open area is being preserved for future (Phase II and Phase III if needed). At top of field, wetlands are in woods - leaching field is outside of regulated area. Curtain drain will be outside of regulated area. As one of the requirements, Mr. Clark has to be there to observe the construction at each Phase.

Public hearing has been rescheduled to September 2nd, 2014 at 7:00pm.

Sullivan made a motion to adjourn at 7:45, seconded by Perri and unanimously approved.

Respectfully submitted,

Vicki Connors